

Inspiring innovation

RANGE

Milane 
Oeno

Ensuring purity
for your wine



Inventec within the DEHON Group

Inventec The power to innovate

is a company belonging to the Dehon Group. A family business, founded in 1874, the Dehon Group originally specialized in refrigerant gas conditioning and logistics. Today, the group has 3 areas of activity:

- Refrigeration, air conditioning and heating with Climalife,
- Automobile fluids with SMB Auto,
- Products and services for high-tech industries with Inventec, since 1970.



Its fast reaction to significant market changes and constant search for durable solutions make the group a leader in these 3 areas of activity in France and Europe. In 2008, the Dehon Group achieved a turnover of 150 million Euros and has over 500 collaborators over 3 continents (Asia, Europe and America).

Inventec Performance Chemicals



for modifying, finishing or protecting various surfaces (metal, plastic, composite...)



(with 50 million Euros and 100 collaborators) develops, formulates and sells chemical products throughout the world through 3 business units.

Inventec is the leader in chemical innovation and implementing durable solutions that protect the health of users and the environment. .

Over 1,500 substitutions for chemical products in Europe, Asia and North America, in areas as varied as luxury watch cleaning, liquid oxygen pipe cleaning in the aeronautics industry, lead-free soldering, foam expansion, aerosol formulation etc...

All of these substitutions considerably reduce the risks linked to the products and their use.

Inventec has transferred its expertise to the oenology industry

Inventec is **[in]transigent** in terms of protecting health and the environment,
[in]novative – at least one new product per quarter,
[in]genious, thanks to its experts, close to you and your processes
[in]ternational with its 10 subsidiaries and 7 production sites over 3 continents.

Equipment and accessories

Milane D dosing apparatus

316 L stainless steel valve
3 m Neoprene hose
Filling nozzle
Integrated gauges



Milane E dosing apparatus

From 20 g to 24 kg
Accuracy of 15 g
316 L stainless steel
Battery life (long life battery)
Built-in automatic charger



Services

INVENTEC makes its experience available to you with:

- A safety **audit**
- **Recording of** Inspection, Measurement and Safety equipment
- **Recording of the classification** of the plant
- Regulatory **intelligence**
- **Layout of the plant** (photos and schematic diagram)
- Safety **training** for users



Cylinders

- **Comply with standards** (EN 13322, EN 12862, EN 9936)
- **Cylinder traceability** (aeronautical and medical standards)
- **Empty cylinders returned**



Ecoprogramme



Certification
Pure sulphur dioxide Molecule in Milane packaging from 2 to 1100 kg

A wide RANGE
for a tailor-made solution

Waste
Eliminate your plastic packaging waste

CLIP'N USE Patented
new safety equipment

CLIPSAV Patented
two-phase valve



Ænology
Codex HACCP
EC directive
n° DE2009/10/CE

Table of technical features

Features	Units	Values					
		2 Kg	5 Kg	24 Kg	63 Kg	500 Kg vertical	1 100 Kg horizontal
Weight when empty	Kg	1.8	2	6.60	28	+/- 460	+/- 500
Weight when full	Kg	3.8	7	30	90	960	1 600
Product weight	Kg	2	5	24	63	500	1 100
Capacity	L	2	4.2	20	52	615	930
Height	Mm	300	300	516	1 300	1 900	2 330 (L)
Diameter	Mm	95	150	300	270	-	800
Vertical support (overall)	Mm	-	-	-	-	900 x 900	-

Milane range

A range
suited
to your plant

A
unique
solution
for sulphur dioxide
adjustments

Inventec has created suitable packaging to ensure:

SAFETY: Milane cylinders are fitted with a check valve in order to prevent return flow of the product ensuring completely safe usage with no risk to the environment.

ERGONOMICS: The cylinders are fitted with a two-phase valve (liquid and gas) with a single outlet allowing liquid phase sulphur dioxide to be obtained without turning the cylinder upside down.

EASE OF HANDLING: The 24 kg cylinder is aluminium which makes it light and ergonomic. It is easy to transport owing to its protective shield.

STORAGE: The cylinders are supplied in baskets, allowing you to have a mobile storage area.

SIMPLICITY: We manage packaging and no hiring or deposit is involved.

TRACEABILITY and PURITY: All packaging bears a label indicating the batch number in order to observe the HACCP method and the oenology international codex.

Milane S2 and S5 offer a practical range:

Practical, simple and secure, S2 and S5 cylinders are ideal for sulphur dioxide adjustments, allowing you to dispense with dosing siphons.

- sold in boxes of 6 cylinders
- aluminium cylinders used in the vertical position (without turning the cylinder upside down)
- metering valves
- no hiring or deposits

Analytical specifications Oenological codex

Features	Units	Values
Sulphur dioxide	purity %	≥ 99.99
Water	weight ppm	≤ 50
Acidity	weight ppm	≤ 100
Non volatile residue	weight ppm	≤ 100



S500



S63



S24



S5



S2



Distribute

**INVENTEC**
PERFORMANCE CHEMICALS

26, avenue du Petit Parc - 94683 Vincennes cedex - France
Tel : +33 (0) 1 43 98 75 00 - Fax : +33 (0) 1 43 98 21 51
www.inventec.dehon.com